


# GOVERTEVE 4.6



"Secure Any Location — Without Any Infrastructure"



**4G LTE Connectivity**Receive alerts in real-time anywhere, anytime.



Battery / Solar Powered

Mobile tactical
installation.



Motion & Tamper
PIR + vibration sensors
for reliable alerts.



**GPS Localization**Built-in GPS for precise location tracking.



AES-265
Secure communication
via AES-256 bit encryption.



Construction Sites
Protect gear and monitor
progress



Wildlife Monitoring
Get remote photos of animal activity



Tactical Deployment

Quick setup, no infrastructure needed

# OutWatch ALARM WERIFICATION

OutWatch is an Al-based alarm verification server designed for CovertEye 4G cameras. It filters incoming alerts, reduces false alarms by up to 95%, and delivers only verified detections, such as humans, vehicles, trucks and animals. Directly to your phone via push notification.



#### **Up to 95% False Alarm Reduction**

OutWatch filters alerts using advanced Al models to accurately classifying humans, vehicles, trucks, and animals and ensure only real threats reach your device.



#### One Dashboard to Control Them All

Manage and monitor all your CovertEye 4G cameras from a single centralized interface, no matter where they're deployed.



#### **Remote Configuration**

Easily change camera settings (motion sensitivity, resolution, schedules, etc.) directly from the OutWatch platform (PC or Mobile App), without needing physical access.



#### **GPS Camera Tracking**

See the location of each camera on an interactive map and get alert on camera movement. Ideal for fast response in tactical or mobile deployments.



#### **SOLO**

- 1 Camera
- 450 Analytics Tokens
- 30 Days Alarm Storage

**\$5** / Month

#### **SOLO 20**

- Up to 20 Cameras
- 20 Users
- 9K Analytics Tokens
- 30 Days Alarm Storage

\$85/Month

#### **SOLO 100**

- Up to 100 Cameras
- 100 Users
- 45K Analytics Tokens
- 30 Days Alarm Storage

**Contact Us** 







#### Camera

| Picture Resolution  | 5MP/8MP/16MP/24MP/32MP               |
|---------------------|--------------------------------------|
| FOV (Field of View) | 110° (f/1.85)                        |
| PIR Sensor          | Up to 25m                            |
| Tamper Detection    | Yes (Vibration Sensor)               |
| IR LED              | Up to 25m Range (940nm Invisible IR) |
| GPS Localization    | Yes (Internal Antenna)               |

# Communication

| Communication                 | 4G LTE                            |
|-------------------------------|-----------------------------------|
|                               | <u>Europe</u>                     |
| Frequency Bands               | • FDD-LTE: B1/B3/B5/B7/B8/B20/B28 |
|                               | • GSM: B2/B3/B5/B8                |
| Secure Communication          | AES-256 over HTTPS                |
| OutWatch 2 Way  Communication | Yes                               |

### **System**

| Display Screen        | 2" LCD Screen  |
|-----------------------|--|
| Memory Card           | Up to 512GB MAX (Class 10)                           |
| Power Supply          | Rechargeable Lithium Battery Pack/DC 12V/Solar Panel |
| IP Rating             | IP67   |
| Operating Temperature | -20°C to 60°C / -4°F to 140°F                        |
| Storage Temperature   | -30°C to 70°C / -22°F to 158°F                       |
| Operating Humidity    | 5% - 90%   |
| Stand-by Current      | < 0.15mA (<6mAh/Day)                                 |

# **Physical Specifications**

| Dimensions              | 130mm × 104mm × 69mm / 5.1" × 4" × 2.7" |
|-------------------------|---|
| Weight                  | 400g / 0.88lbs                          |
| Security Authentication | FCC, CE, RoH                            |

# **Optional Accessories**











Flat Antenna

with 3m cable